



Product List

petlas

Contents Page

<u>Page No</u>	
1	Contents Page
2	Tyre Patterns
3	TD17 3 Rib Tractor Front TD18 3 Rib Tractor Front TP8 3 Rib Tractor Front TD16 4 Rib Tractor Front
4	TA60 O/C Tractive (Implement / X-Ply Tractor / Plant)
5	TZ13 O/C Tractive (X-Ply Tractor) TA110 O/C Tractive (Radial Tractor)
6	BD65 O/C Tractive PM50 Tractive IND15 Industrial O/C (Plant) IND25 Industrial O/C (Plant)
7	UN1 Trailer Flotation FLT2 Diamond IMT-08 Tractive Flotation NB38 O/C Lug
8	NT3 PD30 Highway PD40 Highway PM40 Nato
9	HL10 Forklift NB57 Loader L2 PG2 Grader G2 PL2 Grader G2
10	Standard Terms and Conditions of Sale

LAYOUT

Tyre sizes can be confusing with different mixtures of markings in Imperial (inches) and/or Metric (millimetres) measurements. This list is set out, within each section, in the following order of priority:-

- 1 - Rim Size (virtually always in inches)
- 2 - Section Width (including dual marking and aspect ratio)
- 3 - Overall Diameter
- 4 - PR (Ply Rating) or Load Index (LI)

This is, in effect, the reverse way in which a 3 dimensional tyre is marked, i.e. OD x SW - Rim, but is, nevertheless, the most logical format. Some tyres have outdated markings, or are stated in a different format, e.g. 260 x 85 = 10 x 3 = 3.00-4. These alternatives have generally been omitted from this price list, but if you have any problems with tyre markings, please enquire.

Please note that tyre size markings are nominal and actual dimensions vary among manufacturers and even between different patterns from the same manufacturer. This applies particularly to ATV and turf tyres.

TECHNICAL DATA

The majority of the tyres in this list are for agricultural/slow speed use, except where stated, but, because of the intricacies of Ply Ratings, Speed Symbols, Load Indices etc., it is impossible to state all the variations here. Our staff are able and willing to answer most queries that you may have with regard to this subject, so please test them out.

DELIVERY

All prices quoted include free delivery, subject to a minimum order of £60.00. Under normal circumstances, delivery is on a next-day basis for orders placed before 3.00pm. Additional services, such as Saturday delivery are available at an extra cost.

FINALLY

This list, although fairly comprehensive, is by no means exhaustive. If you can't see what you are looking for, please enquire.

Tyre Patterns

See page 3 for:



TD17



TD18



TP8



TD16

See pages 4&5 for:



TA60



TZ13



TA110

See page 6 for:



BD65



PM50



IND15



IND25

See page 7 for:



UN1



FLT2



IMT-08



NB38

See page 8 for:



NT3



PD30



PD40



PM40

See page 9 for:



HL10



NB57



PG2



PL2

TD17 3 Rib Tractor Front

Size	Ply Rating	Pattern
6.00-16	6pr	TD17
10.00-16	8pr	TD17
11.00-16	8pr	TD17

TD18 3 Rib Tractor Front

Size	Ply Rating	Pattern
6.50-16	6pr	TD18
7.50-18	8pr	TD18
7.50-20	8pr	TD18

TP8 3 Rib Tractor Front

Size	Ply Rating	Pattern
7.50-16	8pr	TP8
6.00-19	6pr	TP8

TD16 4 Rib Tractor Front

Size	Ply Rating	Pattern
5.50-16	6pr	TD16
6.00-16	6pr	TD16
6.50-16	8pr	TD16
7.50-16	8pr	TD16
6.00-19	6pr	TD16
6.50-20	8pr	TD16



TD17



TD18



TP8



TD16

TA60 O/C Tractive

Size	Ply Rating	Pattern
5.00-12	4pr	TA60
6.5/80-12	6pr	TA60
7.00-12	6pr	TA60
5.00-15	6pr	TA60
10.0/75-15.3	12pr	TA60
11.5/80-15.3	12pr	TA60
6.00-16	6pr	TA60
6.50-16	6pr	TA60
7.50-16	8pr	TA60
7.50-18	8pr	TA60
7.50-20	8pr	TA60
9.5-20	8pr	TA60
8.3-24	8pr	TA60
9.5-24	8pr	TA60
11.2/10-24	8pr	TA60
12.4/11-24	8pr	TA60
12.4/11-24	12pr	TA60
13.6/12-24	8pr	TA60
14.9/13-24	8pr	TA60
14.9/13-24	10pr	TA60
15.5/80-24	12pr	TA60 T/L
15.5/80-24	16pr	TA60 T/L
18.4/15-26	12pr	TA60 T/L
11.2/10-28	8pr	TA60
13.6/12-28	6pr	TA60
13.6/12-28	8pr	TA60
14.9/13-28	6pr	TA60
14.9/13-28	8pr	TA60
16.9/14-28	8pr	TA60
14.9/13-30	8pr	TA60
16.9/14-30	14pr	TA60
18.4/15-30	8pr	TA60
18.4/15-30	14pr	TA60
12.4/11-32	8pr	TA60
16.9/14-34	8pr	TA60
16.9/14-34	12pr	TA60
18.4/15-34	8pr	TA60
18.4/15-34	12pr	TA60
12.4/11-36	8pr	TA60
13.6/12-36	6pr	TA60
13.6/12-38	8pr	TA60
15.5-38	10pr	TA60
16.9/14-38	10pr	TA60
18.4/15-38	10pr	TA60



TA60

TZ13 O/C Tractive

Size	Ply Rating	Pattern
12.4/11-28	6pr	TZ13
16.9/14-30	8pr	TZ13
16.9/14-30	10pr	TZ13

TA110 O/C Tractive

Size	LL/SI	Pattern
280/70R16	112A8	TA110
280/70R18	114A8	TA110
280/70R20	116A8	TA110
280/85R20 (11.2)	112A8	TA110
300/70R20	110A8	TA110
320/70R20	113A8	TA110
9.5R24	107A8	TA110
280/85R24 (11.2)	115A8	TA110
320/85R24 (12.4)	122A8	TA110
340/85R24 (13.6)	125A8	TA110
380/70R24	125A8	TA110
380/85R24 (14.9)	125A8	TA110
340/85R28 (13.6)	127A8	TA110
380/70R28	127A8	TA110
380/85R28 (14.9)	133A8	TA110
420/70R28	133A8	TA110
480/70R28	140A8	TA110
380/85R30 (14.9)	135A8	TA110
420/85R30(16.9)	140A8	TA110
460/825R30 (18.4)	145A8	TA110
420/85R34 (16.9)	142A8	TA110
460/85R34 (18.4)	147A8	TA110
340/85R38 (14.9)	133A8	TA110
380/85R38 (14.9)	139A8	TA110
420/85R38 (16.9)	144A8	TA110
460/85R38 (18.4)	149A8	TA110



TA60



TZ13



TA110

BD65 O/C Tractive

Size	Ply Rating	Pattern
23.1-26	14pr	BD65 T/L
23.1-30	14pr	BD65 T/L
20.8-38	14pr	BD65 T/L

PM50 Tractive

Size	Ply Rating	Pattern
12.5-20	12pr	PM50 T/L

IND15 Industrial O/C

Size	Ply Rating	Pattern
10.0/75-15.3	12pr	IND15 T/L
10.5/80-18	12pr	IND15 T/L
12.5/80-18	12pr	IND15 T/L
14.5-20	14pr	IND15 T/L
16.0/70-20	14pr	IND15 T/L
16.0/70-24	14pr	IND15 T/L
405/70-24	14pr	IND15 T/L
18.4/15-26	14pr	IND15 T/L
23.1/18-26	14pr	IND15 T/L
16.5/85-28	12pr	IND15 T/L
16.9/14-28	12pr	IND15 T/L

IND25 Industrial O/C

Size	Ply Rating	Pattern
16.5/85-24	12pr	IND25 T/L
16.5/85-24	16pr	IND25 T/L
16.9-24	12pr	IND25 T/L



BD65



PM50



IND15



IND25

UN1 Trailer Flotation

Size	Ply Rating	Pattern
400/60-15.5	14pr	UN1 T/L
7.50-16	10pr	UN1
15.0/55-17	14pr	UN1 T/L
19.0/45-17	12pr	UN1 T/L
500/50-17	14pr	UN1 T/L
10.5/80-18	14pr	UN1
12.5/80-18	14pr	UN1
13.0/65-18	14pr	UN1

FLT2 Diamond

Size	Ply Rating	Pattern
23.1/18-26	12pr	FLT2 T/L

IMT-08 Tractive Flotation

Size	Ply Rating	Pattern
500/60-22.5	16pr	IMT-08 T/L
550/60-22.5	16pr	IMT-08 T/L
600/50-22.5	16pr	144A8 IMT-08 T/L

NB38 O/C Lug

Size	Ply Rating	Pattern
7.50-20	10pr	NB38
9.00-20	14pr	NB38
10.00-20	16pr	NB38



UN1



FLT2



IMT-08



NB38

NT3

Size	Ply Rating		Pattern
900-16C	8pr	119L	NT3

PD30 Highway

Size	Ply Rating		Pattern
650-16	10pr	108L	PD30 T/L

PD40 Highway

Size	Ply Rating		Pattern
900-20	14pr	140J	PD40
1000-20	16pr	146J	PD40

PM40 Nato

Size	Ply Rating		Pattern
1400-20	18pr	160F	PM40



NT3



PD30



PD40



PM40

HL10 Forklift

Size	Ply Rating	Pattern
18x7-8	16pr	HL10
600-9	12pr	HL10
21x8-9	14pr	HL10
650-10	12pr	HL10
23x9-10	20pr	HL10
700-12	14pr	HL10
27x10-12	14pr	HL10
815-15	14pr	HL10
825-15	16pr	HL10

NB57 Loader L2

Size	Ply Rating	Pattern
14.00-24	32pr	NB57
17.5-25	16pr	NB57 T/L
20.5-25	20pr	NB57 T/L

PG2 Grader G2

Size	Ply Rating	Pattern
14.00-24	12pr	PG2 T/L
14.00-24	16pr	PG2 T/L

PL2 Grader G2

Size	Ply Rating	Pattern
15.5-25	12pr	PL2 T/L



HL10



NB57



PG2



PL2

STANDARD TERMS AND CONDITIONS OF SALE (NON-CONSUMER SALES ONLY)

These Conditions of Sale govern any transaction between Europa Tyres Ltd (The Company) and the purchaser of the goods (The Customer). The Company believes that these conditions are fair and reasonable. If the Customer believes that these Conditions are not fair and reasonable, he/she must advise the Company, in writing, prior to any contract. These Conditions can only be varied with the written agreement of a Director of the Company.

Prices

Prices are those ruling at the time of delivery or collection. Prices will not normally be altered after the date of order, but the Company reserves the right to do so in the event of a manufacturer's price increase. All prices stated by the Company are exclusive of VAT which will be added, where applicable, to all invoices at the rate ruling on the date of supply.

Deliveries

Whilst the Company will make every effort to deliver the goods on the date and to the place specified, it cannot accept responsibility for failure to do so. The goods shall be at the Customer's risk from the time of delivery, notwithstanding that the property in the goods remains with the Company.

Property in the Goods

Notwithstanding that the Customer, or his agent, obtains possession of the goods, they shall hold them as bailee and legal ownership will remain with the Company until such time as payment is made in full to the Company. The Customer grants an irrevocable licence to the Company to enter the Customer's premises for the purpose of inspection or collection of the goods in the event of non-payment within the agreed terms. In the event of the Customer, as bailee, re-selling or otherwise disposing of the goods, or any part thereof, the Customer will, until payment is made in full to the Company, hold in trust for the Company, all the Customer's rights under such contract and account to the Company for any money, or other consideration receivable by the Customer thereunder.

Payment of Goods

Payment shall be made, either in cash when the order is placed or upon such terms as the Company may, from time to time, extend to the Customer, which may be withdrawn by the Company, at any time. If payment is not received by the Company within the terms stated, the Company reserves the right to charge interest at the rate of 2% per month on overdue amounts. No settlement discount will be allowed.

Returned Cheques

If a Customer's cheque, in payment of goods supplied, is returned by the Bank, for whatever reason, an additional invoice will be raised to cover the costs and will become payable immediately.

Loss, Damage or Shortage

In the event of any loss, damage or shortage in respect of the goods supplied, the loss, damage or shortage must be reported to the Company and, where appropriate, to the carrier, by the Customer, in writing, within 5 days of such loss, damage or shortage becoming apparent to the Customer.

Returned Goods

Goods correctly supplied by the Company will only be accepted for credit if prior authorisation has been obtained from the Company and must be accompanied by a returns note stating the invoice number and date of supply. The Customer will bear the cost of the return of the goods and may be subject to a handling charge of 10% if returned within 3 months of delivery. Goods delivered in excess of 3 months previously will only be accepted for return in exceptional circumstances, at the sole discretion of the Company and will be subject to a handling charge which will be stated at the time of accepting the return. Goods ordered specially for a Customer will not be accepted for return and credit.

(a) Complaint tyres/tubes returned for assessment must be accompanied by a fully completed complaint form.

Law

All contracts for the supply of goods shall be deemed to have been agreed at the Company's premises and both parties agree to submit to the jurisdiction of the English courts and to English Law.

Date of issue - May 2007